	SAFETY DATA SHEET	Page : 1 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : Aluminium Flakes
 Chemical name : Aluminium
 EC No : 231-072-3
 CAS No. : 7429-90-5
 REACH registration No. : 01-2119529243-45-0146
 Product code : 02 - 04 - Z/04 - 06 - 08

1.2. Relevant identified uses of the substance or mixture and uses advised against

Main use category : Industrial uses .,Professional use .
 Specific use(s) : Pigment

1.3. Details of the supplier of the safety data sheet

Company : AVL METAL POWDERS n.v.
 Elleboogstraat 7
 B-8500 Kortrijk , Belgium, Europe
 Telephone +32 (0)56 22 00 21
 Telefax: +32 (0)56 22 64 14
 E-mail: sales@avlmetalpowders.com
 Website: www.avlmetalpowders.com
 VAT: BE 0405 375 371 - RPR Kortrijk

1.4. Emergency telephone number

Emergency telephone : +32 (0)475 38 36 83 (This telephone number is available 24 hours per day, 7 days per week.)

IRELAND (REPUBLIC OF)

National Poisons Information Centre
 Beaumont Hospital +353 18 37 99 64/+353 1 809 21 66

UNITED KINGDOM

National Poisons Information Service
 (Newcastle Centre) 0844 892 0111 (UK only, Monday to Friday, 08.00 to 18.00 hours)
 Regional Drugs and Therapeutics Centre,
 Wolfson Unit

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EU) 1272/2008


CLP-Classification : This substance is classified as not hazardous according to regulation (EC) No. 1272/2008 [CLP].

Not classified

2.1.2. Classification according to EU Directives 67/548/EEC or 1999/45/EC

Classification : This substance is classified as not hazardous according to 67/548/EEC.

Not classified

	SAFETY DATA SHEET	Page : 2 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

2.2. Label elements

2.2.1. Labelling according to Regulation (EU) 1272/2008

Not applicable.

2.2.2. Labelling according to Directives (67/548 - 1999/45)

Not relevant

2.3. Other hazards

Other hazards : PBT/vPvB data
Not applicable
Risk of dust explosion.

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance name	Product identifier	%	Classification according to Directive 67/548/EEC
Aluminium (1)	(CAS No.) 7429-90-5 (EC No) 231-072-3 (EC Index) 013-002-00-1 (REACH-no) 01-2119529243-45-0146, 01-2119529243-45-XXXX	100	Not classified

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Aluminium (1)	(CAS No.) 7429-90-5 (EC No) 231-072-3 (EC Index) 013-002-00-1 (REACH-no) 01-2119529243-45-0146, 01-2119529243-45-XXXX	100	Not classified

Full text of R- and H-phrases: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation : Provide fresh air.
When in doubt or if symptoms are observed, get medical advice.

Skin contact : No hazards which require special first aid measures.

Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If symptoms persist, call a physician.

In case of ingestion : When in doubt or if symptoms are observed, get medical advice.


Additional advice : Treat symptomatically.
See also section 8
First aider: Pay attention to self-protection!
When in doubt or if symptoms are observed, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Repeated or prolonged exposure: (dust) : May cause respiratory impairment and lung damage.

Skin contact : No adverse effects are expected.

Eye contact : Dust contact with the eyes can lead to mechanical irritation.

	SAFETY DATA SHEET	Page : 3 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

Ingestion : May be irritating.
Other adverse effects : none.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Special powder against metal fire . Dry sand . Co-ordinate fire-fighting measures to the fire surroundings.
Extinguishing media which must not be used for safety reasons: : Water
Foam
Carbon dioxide
ABC-powder

5.2. Special hazards arising from the substance or mixture

Fire hazard : Non-flammable.
Specific hazards : Dust may form explosive mixture in air.

5.3. Advice for firefighters

Advice for firefighters : Special protective equipment for firefighters.
In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Evacuate area.
Prevent unauthorised persons entering the zone.
Provide adequate ventilation.
Use personal protective equipment as required.
Personal protection equipment: see section 8
Avoid generation of dust.
Keep away from sources of ignition. - No smoking.
Use only non-sparking tools.
For emergency responders : Ensure procedures and training for emergency decontamination and disposal are in place.
Personal protection equipment: see section 8.

6.2. Environmental precautions


Environmental precautions : Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.
Dam up.
Take up mechanically.
Do not rinse down with water. /
Water (with cleaning agent)
Dispose according to legislation.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13.

	SAFETY DATA SHEET	Page : 4 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling	: Provide adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Personal protection equipment: see section 8 Dust may form explosive mixture in air. Avoid generation of dust. Remove dust regularly from electrical supply and distribution points. Keep away from sources of ignition. - No smoking. Ensure that the equipment is adequately grounded. Use only non-sparking tools. Take any precaution to avoid mixing with incompatible materials. Contact with water liberates highly flammable gases. (H2) See also section 10
Advices on general occupational hygiene	: Do not allow to enter into surface water or drains. Keep good industrial hygiene. When using do not eat, drink or smoke. Wash hands before breaks and immediately after using the product. Take off contaminated clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage	: Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Protect against water. / Humidity
Packaging materials	: Keep/Store only in original container.

7.3. Specific end use(s)


No data available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values :

Aluminium (7429-90-5)		
Austria	MAK (mg/m ³)	10 mg/m ³ (inhalable fraction)
Austria	MAK Short time value (mg/m ³)	20 mg/m ³ (inhalable fraction)
Belgium	Limit value (mg/m ³)	1 mg/m ³
Bulgaria	OEL TWA (mg/m ³)	10,0 mg/m ³ (metal dust) 1,5 mg/m ³ (respirable fraction)
Croatia	GVI (granična vrijednost izloženosti) (mg/m ³)	10 mg/m ³ (total dust) 4 mg/m ³ (respirable dust)
France	VME (mg/m ³)	10 mg/m ³ (metal) 5 mg/m ³ (dust)
Greece	OEL TWA (mg/m ³)	10 mg/m ³ (inhalable fraction) 5 mg/m ³ (respirable fraction)
Italy - Portugal - USA ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (respirable fraction)
Latvia	OEL TWA (mg/m ³)	2 mg/m ³
Spain	VLA-ED (mg/m ³)	10 mg/m ³ (dust)
Switzerland	VME (mg/m ³)	3 mg/m ³ (respirable)

	SAFETY DATA SHEET	Page : 5 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

Aluminium (7429-90-5)		
United Kingdom	WEL TWA (mg/m ³)	10 mg/m ³ (inhalable dust) 4 mg/m ³ (respirable dust)
United Kingdom	WEL STEL (mg/m ³)	30 mg/m ³ (calculated-inhalable dust) 12 mg/m ³ (calculated-respirable dust)
Czech Republic	Expoziční limity (PEL) (mg/m ³)	10,0 mg/m ³ (dust)
Denmark	Grænseværdie (langvarig) (mg/m ³)	5 mg/m ³ (dust, fume and powder, total) 2 mg/m ³ (dust and powder, respirable)
Hungary	AK-érték	6 mg/m ³ (respirable dust)
Ireland	OEL (8 hours ref) (mg/m ³)	1 mg/m ³ (respirable dust)
Ireland	OEL (15 min ref) (mg/m ³)	3 mg/m ³ (calculated-respirable dust)
Lithuania	IPRV (mg/m ³)	5 mg/m ³ (inhalable fraction) 2 mg/m ³ (respirable fraction) 1 mg/m ³
Norway	Gjennomsnittsverdier (AN) (mg/m ³)	5 mg/m ³ (pyrotechnical-powder)
Norway	Gjennomsnittsverdier (Korttidsverdi) (mg/m ³)	10 mg/m ³ (pyrotechnical-powder)
Poland	NDS (mg/m ³)	2,5 mg/m ³ (inhalable fraction) 1,2 mg/m ³ (respirable fraction)
Romania	OEL TWA (mg/m ³)	3 mg/m ³ (dust) 1 mg/m ³ (fume)
Romania	OEL STEL (mg/m ³)	10 mg/m ³ (powder) 3 mg/m ³ (fume)
Slovakia	NPHV (priemerná) (mg/m ³)	1,5 mg/m ³ (metal) 6 mg/m ³ (total aerosol)
Sweden	nivågränsvärde (NVG) (mg/m ³)	5 mg/m ³ (total dust) 2 mg/m ³ (respirable dust)

Recommended monitoring procedures : Concentration measurement in air
Personal air monitoring

DNEL : 3 mg/m³
PNEC : 46 - 17800 µg/l

8.2. Exposure controls

Personal protection equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. :

dust

Respiratory protection : Use appropriate respiratory protection.
Effective dust mask. (EN 149)
Respirator with a particle filter (EN 143)
Filter type: P1

Hand protection : Not required under normal use.


Eye protection : Dust protection eye glasses (EN 166)

Body protection : No special protective equipment required.

Thermal hazard protection : Not required under normal use.

Engineering control measures : Use only in area provided with appropriate exhaust ventilation.
Apply measures to prevent dust explosions.
Organisational measures to prevent/limit releases, dispersion and exposure
See also section 7

Environmental exposure controls : Do not allow to enter into surface water or drains.
Comply with applicable Community environmental protection legislation.

	SAFETY DATA SHEET	Page : 6 / 10
		Revision nr : 2
	Aluminium Flakes	Issue date : 09/03/2015
		Supersedes : 29/04/2013

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	: Flakes
Colour	: silver
Odour	: odourless
Odour threshold:	: No data available
Odour threshold:	: No data available
pH	: Not applicable
Melting point/freezing point	: 660 °C
Initial boiling point and boiling range	: 2467 °C
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Non-flammable., (UN Test N.1: Test method for readily combustible solids)
Upper/lower flammability or explosive limits	: No data available
Vapour pressure	: No data available
Vapour density	: No data available
Density	: 2,7 g/cm ³ @ 20°C
Relative density	: No data available
Water solubility	: Insoluble
Solubility in different media	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity	: No data available
Explosive properties	: Not applicable The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidising properties	: Not applicable The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.


9.2. Other information

Other information	: Dust may form explosive mixture in air. Lower explosion limit (g/m ³) : 30 E6 Ignition temperature : > 400°C Minimum ignition temperature of a 5 mm dust layer (glowing temperature) : > 230°C (Apparent) Density : 0,15 - 0,35 g/cm ³ @ 20°C
-------------------	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	: None under normal processing. Reference to other sections: 10.5
------------	--

	SAFETY DATA SHEET	Page : 7 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

10.2. Chemical stability

Stability : The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions : Risk of dust explosion.
The substance or mixture does not emit flammable gases in contact with water.
(UN Test N.5: Test method for substances which in contact with water emit flammable gases)
Reference to other sections: 10.4/10.5

10.4. Conditions to avoid

Conditions to avoid : Remove all sources of ignition.
See also section 7

10.5. Incompatible materials

Incompatible materials : Reacts with the following substances:, Acids and bases,, Halogens,, Halogenated compounds,, Oxidising substances

10.6. Hazardous decomposition products

Hazardous decomposition products : none

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: Not applicable

Serious eye damage/eye irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: Not applicable

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met.)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met.)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met.)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met.)

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met.)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met.)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met.)


Other information

Symptoms related to the physical, chemical and toxicological characteristics,Reference to other sections: 4.2

SECTION 12: Ecological information

12.1. Toxicity

Toxicity : Ecological injuries are not known or expected under normal use.

	SAFETY DATA SHEET	Page : 8 / 10
		Revision nr : 2
		Issue date : 09/03/2015
	Aluminium Flakes	Supersedes : 29/04/2013

12.2. Persistence and degradability

Persistence and degradability : Not applicable

12.3. Bioaccumulative potential

Bioaccumulation : No data available
 Partition coefficient n-octanol/water : No data available

12.4. Mobility in soil

Mobility : No data available

12.5. Results of PBT and vPvB assessment

PBT/vPvB data : PBT/vPvB data :
 Not applicable

12.6. Other adverse effects

Other information :

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product waste: : Do not dispose of together with household waste.
 If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Delivery to an approved waste disposal company.

Further ecological information : Do not allow to enter into surface water or drains.

List of proposed waste codes/waste designations in accordance with EWC : Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
 The following Waste Codes are only suggestions:
 12 01 04

SECTION 14: Transport information

14.1. UN number

UN number : NA

14.2. UN proper shipping name

Proper Shipping Name : NA

14.3. Transport hazard class(es)

14.3.1. Overland transport

ADR/RID : Not classified for this transport way.
 Class(es) : Not applicable

14.3.2. Inland waterway transport (ADN)

ADN : Not classified for this transport way.

14.3.3. Transport by sea


IMDG : Not classified for this transport way.
 Class or Division : Not applicable

14.3.4. Air transport

ICAO/IATA : Not classified for this transport way.
 Class or Division : Not applicable

14.4. Packing group

Packing group : NA

	SAFETY DATA SHEET	Page : 9 / 10
		Revision nr : 2
		Issue date : 09/03/2015
	Aluminium Flakes	Supersedes : 29/04/2013

14.5. Environmental hazards

Other information : Not applicable.

14.6 Special precautions for user

Special precautions for user : Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Restrictions on use : Not applicable

This product contains an ingredient according to the candidate list of Annex XIV of the REACH Regulation 1907/2006/EC.

: none

Authorisations : Not applicable

15.1.2. National regulations

DE : WGK : nwg
 DE : TA-Luft : Total dust
 NL : ABM : 11 - Weinig schadelijk voor in het water levende organismen (B)
 NL : NeR (Nederlandse emissie Richtlijn) : Inorganic substances in powdered form

15.2. Chemical safety assessment


Chemical Safety Assessment : For this substance a chemical safety assessment has been carried out.

SECTION 16: Other information

Key literature references and sources : European Metal Particulate Association (EMPA) for data

Other information : This substance may be marketed in a form which does not have the physical hazards as indicated by the classification in the entry in Part 3. If the results of the relevant method or methods in accordance with Part 2 of Annex I of this Regulation show that the specific form of substance marketed does not exhibit this physical property or these physical hazards, the substance shall be classified in accordance with the result or results of this test or these tests. Relevant information, including reference to the relevant test method(s) shall be included in the safety data sheet.

Abbreviations and acronyms : ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
 ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
 CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
 IATA = International Air Transport Association
 IMDG = International Maritime Dangerous Goods Code
 LEL = Lower Explosive Limit/Lower Explosion Limit
 UEL = Upper Explosion Limit/Upper Explosive Limit
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
 TWA = time weighted average
 STEL = Short term exposure limit
 PBT = persistent, bioaccumulating and toxic (PBT).

	SAFETY DATA SHEET	Page : 10 / 10
	Aluminium Flakes	Revision nr : 2
		Issue date : 09/03/2015
		Supersedes : 29/04/2013

vPvB = very persistent and very bioaccumulating
 EWC = European Waste Catalogue
 NA = Not applicable
 DNEL = Derived No Effect Level
 PNEC = Predicted No Effect Concentration

The contents and format of this SDS are in accordance with EEC Commission Directive 1999/45/EC, 67/548/EC, 1272/2008/EC and EEC Commission Regulation 1907/2006/EC (REACH) Annex II.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.